

"A" SAFER FUTURE IS HERE

- POWERED BY ACHUK A PATENTED COMPOSITION
- FIGHTS HIGH TEMPERATURE FIRES UPTO 1100 ° C
- DISCHARGE THROW OF UPTO 10 METERS
- 10 YEARS WARRANTY*



TECHNICAL SPECIFICATIONS

SR. NO.	ITEM	DETAILS
1	TESTING	CONFORMS TO IS 16018
2	MAIN CONTAINER	S.S. 304 CYLINDER WITH 4 MM THICKNESS
3	VALVE BODY	STAINLESS STEEL 304
4	DISCHARGE MECHANISM	LEAK PROOF VALVE TECHNOLOGY
5	EXTINGUISHING AGENT	WATER WITH ACHUK COMPOSITION
6	DELIVERY METHOD	NOZZLE WITH FLEXIBLE HOSE PIPE
7	DELIVERY MECHANISM	HOSE PIPE AND S.S. 304 CONVERGENT NOZZLE WITH . .MANUAL SHUTOFF CONTROL VALVE
8	PRESSURE GAUGE	BOURDON/DIAPHRAGM TYPE
9	WORKING PRESSURE	14 BAR
10	TEST PRESSURE	35 BAR
11	RANGE	8-10 METERS
12	OPERATING TEMPERATURE RANGE	+5°C TO +60°C
13	CAPACITY	45 LITRE
14	FACTORY RATING	20 A
15	TESTS	AS PER BIS STANDARDS
16	WET AGENT SHELF LIFE	10 YEARS
17	OPERTIONAL WARRANTY	10 YEARS* OR UNTIL TAMPER-SEAL IS BROKEN
18	DISCHARGE TIME	MIN 75 SECONDS
19	AVERAGE DISCHARGE PERCENTAGE	>97%

APPLICATION INDUSTRIES

TEXTILE • RUBBER • PLASTIC • PAPER • WOOD • COAL • DYES & CHEMICALS • TYRE & OTHER CLASS "A" FIRE AREAS

AVAILABLE CAPACITIES (LTRS) : 6, 45.



ASAN SAFETY SOLUTIONS LLP

110, SHIROMANI COMPLEX, SATELLITE ROAD, AHMEDABAD 380015, GUJARAT, INDIA WWW.NASAFIRETECHNOLOGY.COM | INFO@ASANSAFETY.COM | +91 898 319 8090